EU Type Examination Certificate

This is to certify that:

Medline International France SAS
5 Rue Charles Lindbergh
Châteaubriant
44110
France

Holds Certificate Number: CE 739234

In respect of:

Mediguard Special Nitrile Examination Gloves
To Technical Specification satisfying Annex II of PPE Regulation (EU) 2016/425 and utilizing standards: EN ISO 21420:2020, EN ISO 374-1:2016+A1:2018 and EN ISO 374-5:2016

on the basis that BSI carried out the relevant Type Examination procedures under the requirements with the Regulation (EU) 2016/425 of the European Parliament and Council relating to Personal Protective Equipment Regulation (PPE) Annex V (Module B) and meets the relevant health and safety requirements specified in Annex II

For and on behalf of BSI, a Notified Body for the above Regulation (Notified Body Number 2797):

Graeme Tunbridge, Senior Vice President Global Regulatory & Quality

First Issued: 2021-05-07
Latest Issue: 2026-04-01

Effective Date: 2026-04-01
Expiry Date: 2031-05-07

PRODUCTS
RvA C 646

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated online.

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.

EU Type Examination Certificate

No. CE 739234

Product Specification

Model:	Mediguard Special Nitrile Examination Gloves.
Classification:	Protective gloves for use against dangerous chemicals and micro-organisms.
Description:	Non-sterile, single use, five fingered, powder free Nitrile gloves. The gloves have a tight cuff seal and blue coloured.
Size range:	6 (Extra Small), 7 (Small), 8 (Medium), 9 (Large), 10 (Extra Large).
Product Codes:	MGSNXS, MGSNS, MGSNM, MGSNL, MGSNXL
PPE Category:	Category III – Complex.
Technical Specification:	Type Examination for all PPE models listed in this certificate is conducted to Annex II of the Regulation (EU) 2016/425 and based on the following European Standards: EN ISO 21420:2020 – Protective gloves. General requirements. EN ISO 374-1:2016+A1:2018 – Protective gloves against dangerous chemicals and micro-organisms. Terminology and performance requirements for chemical risks. EN ISO 374-2:2019 – Protective gloves against dangerous chemicals and micro-organisms. Determination of resistance to penetration. EN ISO 374-4:2019 – Protective gloves against dangerous chemicals and micro-organisms. Determination of resistance to degradation by chemicals. EN ISO 374-5:2016 – Protective gloves against dangerous chemicals and micro-organisms. Terminology and performance requirements for micro-organism risks. EN 16523-1:2015+A1:2018 – Protective gloves against dangerous chemicals and micro-organisms. Determination of resistance to permeation by chemicals. ISO 16604:2004 – Clothing for protection against contact with blood and body fluids. Determination of resistance of protective clothing materials to penetration by blood-borne pathogens. Test method using Phi-X174 Bacteriophage.

First Issued: 2021-05-07
Latest Issue: 2026-04-01

Effective Date: 2026-04-01
Expiry Date: 2031-05-07

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated online.

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.

EU Type Examination Certificate

No. CE 739234

Performance

EN ISO 21420:2020 – General requirements:

Characteristic	Performance
pH	Pass
PAH	Pass
Length and Fit	Pass
Dexterity	Level 5

EN ISO 374-2:2019 – Protection against penetration by micro-organisms
Pass

EN ISO 374-4:2019 – Resistance to degradation

Tested for all chemicals listed below.

EN ISO 374-1:2016+A1:2018 – Resistance to chemical permeation
Type B chemical protection (Test method EN 16523-1:2015+A1:2018)

Code Letter	Chemical	Permeation Level
K	40% Sodium Hydroxide	4
P	30% Hydrogen Peroxide	2
T	37% Formaldehyde	3

EN ISO 374-5:2016 – Protection against micro-organism risks

Bacteria and fungi (Test method EN ISO 374-2:2019)	Pass
Viruses (Test Method ISO 16604:2004)	Pass

First Issued: 2021-05-07
Latest Issue: 2026-04-01

Effective Date: 2026-04-01
Expiry Date: 2031-05-07

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated online.

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.

EU Type Examination Certificate

No. CE 739234

Certificate Administration Details

Technical File Reference: 'EU1-00004-F-00007, Technical File N° 24 Non-sterile Examination gloves.'

Certificate Administration Record and BSI internal Technical File Review reference

Issue date	Comments	BSI Project Ref.
May 2021	Initial issue	2797:21:3324899
June 2022	Certificate reissue – correction from harmonized to Annex II.	2797:22:3637881
March 2023	Extension to scope – change of claim from Type C to Type B at two INTCO locations. Removal of KINGFA, Hongray, YTY suppliers. Standard updated to EN ISO 21420:2020.	2797:23:3852593
August 2023	Extension to scope – transition to Module D surveillance.	2797:23:3912438
April 2026	Reissue due to 5-year certificate renewal under the PPE Regulation (EU) 2016/425. Reference of applicable Module D certificate following transfer ongoing surveillance from Module C2 coverage.	2797:26:30679141

Certificate validity

The Certificate holder is responsible for ensuring that the Notified Body is advised of changes to any aspect of the overall process utilised in the manufacture of the products, failure to do so could invalidate the Certificate in respect of product manufactured following the introduction of such changes.

Monitoring of manufactured PPE

The validity of the Certificate for the products is also dependent on the maintenance of the EU Conformity to Type based on Quality Assurance of the Production Process, Annex VIII (Module D), as referenced on BSI issued Certificate CE 787342.

First Issued: 2021-05-07 Effective Date: 2026-04-01

Latest Issue: 2026-04-01 Expiry Date: 2031-05-07

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated online.

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands
A member of BSI Group of Companies.